

Notice of Allowability

Application No.

09/628,929

Examiner

John K. Ford

Applicant(s)

CARGNELLI ET AL.

Art Unit

3753

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment after final of 12/14/05.

2. ☒ The allowed claim(s) is/are 1,2,4,6-9.

3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) ☐ All b) ☐ Some* c) ☐ None of the:

1. ☐ Certified copies of the priority documents have been received.

2. ☐ Certified copies of the priority documents have been received in Application No. _____.

3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.

5. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.

(a) ☒ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached

1) ☒ hereto or 2) ☐ to Paper No./Mail Date _____.

(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)

2. ☒ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____

4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material

5. ☐ Notice of Informal Patent Application (PTO-152)

6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____


7. ☒ Examiner's Amendment/Comment

8. ☐ Examiner's Statement of Reasons for Allowance

9. ☐ Other _____


An examiner's comment to the record appears below. The proposed drawing correction of September 12, 2005 did not make its way into the electronic file until after the office action mailed September 20, 2005 was mailed. Consequently, it was not addressed in that office action. The proposed drawing correction of September 12, 2005 contains "new matter" unsupported by the original disclosure.

Most notably the heat exchanger (newly legended 134a) immediately below heat exchanger 118a in originally filed Figure 7 now has a plurality of fluid connections associated with it that are not supported by the original specification, claims or drawings. The fact that the systems in the upper and lower portions of Figure 7 are disclosed as similar on page 9, lines 8-12 of the originally filed specification (note the term "many" and not "all" being used to describe the correspondence of the elements between the upper and lower portions of Figure 7) does not permit applicant to engage in wholesale reconstruction of drawing Figure 7. Conduits 144a and 146a are also new and unsupported by the original disclosure.



John K. Ford
Primary Examiner

Not approved



new ~~small~~